

FRIGIDAIRE®

with SEER2/HSPF2 Efficiency Standards

F SERIES

96% AFUE Gas Furnaces



All gas furnaces except (F,K)G8SA & FG8SD feature SmartLite® Control Boards

FG7T(E, N)-VS

96% AFUE Ultra High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 2-Stage (Dedicated Upflow, Downflow), iQ Drive ready, 60,000 - 115,000 BTUH Input, Variable-Speed ECM Blower Motor

FG7TE-FS

96% AFUE Ultra High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 2-Stage Dedicated Upflow, Multi-Speed ECM Blower Motor, 35,000 - 115,000 BTUH Input

95% AFUE Gas Furnaces



FG7TC-VS

95% AFUE High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 2-Stage, Upflow/Horizontal, iQ Drive ready, 60,000 - 120,000 BTUH Input, Variable-Speed ECM Blower Motor

FG7SD-FS

95% AFUE High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 1-Stage, Upflow/Horizontal, Multi-Speed ECM Blower Motor, 38,000 - 120,000 BTUH Input

FG8SD-FS

95%+ AFUE Ultra-Low NOx, High Efficiency, 1-Stage Upflow/Horizontal, Multi-Speed ECM Blower Motor, 50,000 - 100,000 BTUH Input

92% AFUE Gas Furnaces

FG7SC-FS

92% AFUE High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 1-Stage, Upflow/Horizontal, Multi-Speed ECM Blower Motor, 38,000 - 120,000 BTUH Input

80% AFUE Gas Furnaces

FG8SA-FS

80% AFUE Ultra-Low NOx, Standard Efficiency, 1-Stage Upflow/Horizontal, Multi-Speed ECM Blower Motor, 55,000 - 100,000 BTUH Input

FG7TA-VS

80% AFUE Mid Efficiency, 2-Stage Upflow/Horizontal, iQ Drive Ready, 60,000 - 120,000 BTUH Input, Variable-Speed ECM Blower Motor

FG7SA-FS, FG7SK-FS

80% AFUE Standard Efficiency, 1-Stage (Upflow/Horizontal), (Downflow), Multi-Speed ECM Blower Motor, (45,000 - 126,000), (54,000 - 126,000) BTUH Input

K SERIES

96% AFUE Gas Furnaces

KG7TE-FS, KG7TN-FS

96% AFUE Ultra High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 2-Stage (Dedicated Upflow), (Downflow), Multi-Speed ECM Blower Motor, (35,000 - 115,000), (60,000 - 115,000) BTUH Input

95% AFUE Gas Furnaces

KG7TC-FS

95% AFUE High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 2-Stage Upflow/Horizontal, Multi-Speed ECM Blower Motor, 60,000 - 120,000 BTUH Input

KG7SD-FS

95% AFUE High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 1-Stage Upflow/Horizontal, Multi-Speed ECM Blower Motor, 38,000 - 120,000 BTUH Input

92% AFUE Gas Furnaces

KG7SC-FS

92% AFUE High Efficiency, Direct Vent or Non-Direct Vent, Condensing, 1-Stage Upflow/Horizontal, Multi-Speed ECM Blower Motor, 38,000 - 120,000 BTUH Input

80% AFUE Gas Furnaces

KG8SA-FS


80% AFUE Ultra-Low NOx, Standard Efficiency, 1-Stage Upflow/Horizontal, Multi-Speed ECM Blower Motor, 55,000 - 100,000 BTUH Input

KG7TA-FS

80% AFUE Mid Efficiency, 2-Stage Upflow/Horizontal, Multi-Speed ECM Blower Motor, 60,000 - 120,000 BTUH Input

KG7SA-FS, KG7SK-FS

80% AFUE Standard Efficiency, 1-Stage (Upflow/Horizontal), (Downflow), Multi-Speed ECM Blower Motor, (45,000 - 126,000), (54,000 - 126,000) BTUH Input



Convertible Airflow Packaged Systems

All gas/electric packaged systems except R104GD-U feature SmartLite Control Boards

All packaged systems feature enhanced coil technology

R104HD

Gas/Electric, 2-Stage Heat, Square Duct Connections, Convertible Airflow, 13.4 SEER2, 95% AFUE, 2 - 5 Ton, 60,000 - 96,000 BTUH Input



R104GD

Gas/Electric, Square Duct Connections, Convertible Airflow, 13.4 SEER2, 81% AFUE, 2 - 5 Ton, 45,000 - 120,000 BTUH Input



R104GD-U

Ultra-Low NOx, Gas/Electric, Square Duct Connections, Convertible Airflow, 13.4 SEER2, 81% AFUE, 2 - 5 Ton, 55,000 - 100,000 BTUH Input



Q104SD

Heat Pump, Square Duct Connections, Convertible Airflow, 13.4 SEER2, 6.7 HSPF2, 2 - 5 Ton



Horizontal Airflow Packaged Systems

Q94RF

Heat Pump, 2-Stage Round Duct Connections, 15.2 SEER2, 7.8 HSPF2, 2 - 3 Ton



P94RD

Air Conditioner, Round Duct Connections, 13.4 SEER2, 2 - 5 Ton



Q94RD

Heat Pump, Round Duct Connections, 13.4 SEER2, 6.7 HSPF2, 2 - 5 Ton



* Restrictions apply

SEER2, HSPF2 & EER2 REQUIREMENTS



ENERGY STAR® certification is awarded to products designed to reduce energy consumption and utility costs.

Packaged systems must have a Seasonal Energy Efficiency Ratio 2 (SEER2) rating of 15.2 and an Energy Efficiency Ratio 2 (EER2) of 11.5. Packaged heat pumps in the south must have a SEER2 rating of 15.2, Heating Seasonal Performance Factor 2 (HSPF2) of 7.2 and an Energy Efficiency Ratio 2 (EER2) of 10.6. Packaged heat pumps in the north must have a SEER2 rating of 15.2, Heating Seasonal Performance Factor 2 (HSPF2) of 8.1 and an Energy Efficiency Ratio 2 (EER2) of 10.0.

Split system air conditioners must have a 15.2 SEER2 rating and an EER2 of 12.0. Split system heat pumps south must have a 15.2 SEER2 rating, an HSPF2 of 7.8 and an EER2 of 11.7. Split system heat pumps north must have a 15.2 SEER2 rating, an HSPF2 of 8.1 and an EER2 of 10.0.

AFUE REQUIREMENTS

To qualify, gas furnaces must have an AFUE of 97%.

Frigidaire units offer a 10 year Limited Warranty on all parts to the original owner when registered. Plus the Comfort Quality Pledge on select models, which states if within the first 10 years the compressor or furnace heat exchanger fails Frigidaire will replace the entire unit, registration required. W & K models are excluded from the Quality Pledge. Air handlers and coils carry a 3-year all parts limited warranty and when installed with a matched outdoor unit, will carry the outdoor system warranty. Accessories carry the 10 Year Limited Parts Warranty when installed and registered with a complete system. See warranty for specific details.



Split System Air Conditioners



FSA1BG
Ultra High Efficiency, 18+ SEER2, iQ Drive® Technology, 2, 3, 4 and 5 Ton Capacity



FSA3BF
Extra High Efficiency, 15.2 SEER2, 2-Stage, 2, 3, 4 and 5 Ton Capacity



FSA3BE
High Efficiency, 14.3 SEER2, 1-1/2 - 5 Ton Capacity



FSA3BD
High Efficiency, 13.4 SEER2, 1-1/2 - 5 Ton Capacity



Split System Air Conditioners continued

WSA3BE
High Efficiency, 14.3 SEER2, 1-1/2 - 5 Ton Capacity



WSA3BD
High Efficiency, 13.4 SEER2, 1-1/2 - 4 Ton Capacity



Split System Heat Pumps



FSH1BG
Ultra High Efficiency, Up to 17+ SEER2, 10.0 HSPF, iQ Drive Technology, 2, 3, 4 and 5 Ton Capacity



FSH3BF
Extra High Efficiency, 15.2 SEER2, 7.8 HSPF2, 2-Stage, 2, 3, 4 and 5 Ton Capacity



Split System Heat Pumps continued

FSH3BE
High Efficiency, 14.3 SEER2, 7.5 HSPF2, 1-1/2 - 5 Ton Capacity



WSH3BE
High Efficiency, 14.3 SEER2, 7.5 HSPF2, 1-1/2 - 5 Ton Capacity



GXH()(**)MSK4DH**
High Efficiency Inverter Driven, Up to 17 SEER2, Side Discharge, 2-5 Ton Capacity



Air Handlers

GMH
Multi-Positioned, Vertical/Horizontal, High Static, Air Handler for the Ultra Side Discharge Condenser



* Restrictions apply

Air Handlers continued

B64VMMX

2-Stage, ECM
Variable-Speed
Motor, Multi-
Poised, TXV



B64EMMX

ECM Fixed-Speed
Motor, Multi-
Poised, TXV

B64BMMX

PSC Motor,
Multi-Poised,
Vertical/
Horizontal, Multi-
Speed, TXV

B64BMMO

PSC Motor, Fixed
Orifice, Multi-
Speed, Multi-
Poised



B64EW

ECM Motor,
Vertical Wall
Mount, TXV



MB7VM

Modular, Variable-
Speed Model
(matched with a
cased coil easily
creates a 2 piece Air
Handler)

Indoor Coils

C74BAM0

Vertical, Fixed
Orifice, Cased,
Uncased
A, B, C and
D sizes
available in
various
capacities



C74BHM0

Horizontal, Fixed
Orifice
A, B, C and D
sizes available in
various capacities



Cased, Multi-
poised versions
available

C74BAMX

Vertical, TXV,
Cased
A, B, C and D
sizes available in
various capacities



C74BHMx

Horizontal, TXV,
A, B, C and D
sizes available in
various capacities



Cased, Multi-
poised versions
available

C6BH-X

Horizontal,
Cased, TXV
A, B, C and D
sizes available in
various capacities



System Accessories

Air Cleaners

Electronic Air Cleaner

Lifetime filtering
systems, removes
household
allergens and
pollutants down
to .01 microns



Media Air Cleaner

MERV 14, long
life media filter,
removes airborne
particles down to
0.3 microns



1" Electronic Air Cleaner

Easy to maintain,
24V, 95% efficient
down to .01 microns



HEPA Air Cleaner

High efficiency
air filtration,
captures 99.97%
of harmful airborne
pollutants



Thermostats

Universal,
Programmable
7-day, 24V,
digital, up to
3 heat/2 cool,
backlit display
+ keypad, auto
or manual
changeover



FRIGIDAIRE

FRIGIDAIRE is a registered trademark of Electrolux Home Products Inc. and used under a license from Electrolux Home Products, Inc. © Nortek Global HVAC, LLC 2023. All Rights Reserved.

iQ Drive®, ecoLogic® and SmartLite® are registered trademarks of Nortek Global HVAC, LLC. Specifications and illustrations subject to change without notice and without incurring obligation.

frigidairehvac.com

832F-0323